

Applicant : Toshio Kitamura et al.
Serial No. : 10/092,925
Filed : March 6, 2002
Page : 2 of 6

Attorney's Docket No.: 14875-102US1 / C1-106PCT-US

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Previously Presented) An isolated nucleic acid encoding a protein comprising the amino acid sequence of SEQ ID NO:2.
2. (Previously Presented) An isolated nucleic acid encoding the amino acid sequence of SEQ ID NO:2 or a fragment thereof, wherein the fragment is at least 40% of the length of the sequence shown as SEQ ID NO:2, and the fragment binds to BMP2/4.
3. (Previously Presented) An isolated nucleic acid encoding a protein that (a) comprises the amino acid sequence of SEQ ID NO:2 in which 5 or fewer amino acids are substituted, deleted, and/or inserted, and (b) binds to BMP2/4.
4. (Original) The nucleic acid of claim 1, wherein the nucleic acid encodes a fusion protein comprising a first amino acid sequence as shown in SEQ ID NO:2 fused to a second amino acid sequence.
5. (Original) A vector into which the nucleic acid of claim 1 is inserted.
6. (Original) A vector into which the nucleic acid of claim 2 is inserted.
7. (Currently Amended) A cultured transformant harboring the nucleic acid of claim 1.
8. (Currently Amended) A cultured transformant harboring the nucleic acid of claim 2.
9. (Currently Amended) A cultured transformant harboring the vector of claim 5.

Applicant : Toshio Kitamura et al.
Serial No. : 10/092,925
Filed : March 6, 2002
Page : 3 of 6

Attorney's Docket No.: 14875-102US1 / C1-106PCT-US

10. (Currently Amended) A cultured transformant harboring the vector of claim 6.

11-12 (Canceled)

13. (Previously Presented) A method for producing a polypeptide, the method comprising the steps of culturing the transformant of claim 9 and recovering the protein from the transformant or from the culture supernatant thereof.

14. (Previously Presented) A method for producing a polypeptide, the method comprising the steps of (a) culturing the transformant of claim 10 and (b) recovering the protein from the transformant or from the culture supernatant thereof.

15-27 (Canceled)

28. (Previously Presented) A nucleic acid encoding a fusion protein comprising a first amino acid sequence that has the sequence of residues 25-222 of SEQ ID NO:2 fused to a second amino acid sequence.

29. (Previously Presented) The nucleic acid of claim 28, wherein the second amino acid sequence comprises any one of the following: glutathione S-transferase, FLAG, six histidine residues, influenza agglutinin (HA), human c-myc fragment, VSV-GP fragment, p18HIV fragment, T7-tag, HSV-tag, E-tag, SV40T antigen fragment, Ick tag, α -tubulin fragment, B-tag, Protein C fragment, immunoglobulin constant region, β -galactosidase, Green Fluorescent Protein (GFP), and maltose binding protein.

30. (Previously Presented) The nucleic acid of claim 28, wherein the fusion protein comprises an initiator methionine.

31. (Previously Presented) The nucleic acid of claim 28, wherein the fusion protein comprises a signal sequence.

Applicant : Toshio Kitamura et al.
Serial No. : 10/092,925
Filed : March 6, 2002
Page : 4 of 6

Attorney's Docket No.: 14875-102US1 / C1-106PCT-US

32. (Previously Presented) The nucleic acid of claim 28, wherein the fusion protein further comprises residues 1-24 of SEQ ID NO:2.

33. (Canceled)

34. (Previously Presented) A vector into which the nucleic acid of claim 28 is inserted.

35. (Previously Presented) A vector into which the nucleic acid of claim 29 is inserted.

36. (Canceled)

37. (Currently Amended) A cultured transformant harboring the nucleic acid of claim 28.

38. (Canceled)

39. (Currently Amended) A cultured transformant harboring the vector of claim 34.

40. (Currently Amended) A cultured transformant harboring the vector of claim 35.

41. (Canceled)

42. (Previously Presented) A method for producing a protein, the method comprising the steps of culturing the transformant of claim 37 and recovering the fusion protein from the transformant or the culture supernatant thereof.

43. (Previously Presented) An isolated nucleic acid comprising the coding region of the nucleotide sequence of SEQ ID NO:1.

44-46 (Canceled)

47. (Previously Presented) An isolated nucleic acid encoding a protein that (a) has at least 95% identity to the amino acid sequence of SEQ ID NO:2, and (b) binds to BMP2/4.

Applicant : Toshio Kitamura et al.
Serial No. : 10/092,925
Filed : March 6, 2002
Page : 5 of 6

Attorney's Docket No.: 14875-102US1 / C1-106PCT-US

48. (Previously Presented) The nucleic acid of claim 47, wherein the protein has at least 98% identity to the amino acid sequence of SEQ ID NO:2.

49. (Previously Presented) The nucleic acid of claim ~~claim~~ 47, wherein the protein has at least 99% identity to the amino acid sequence of SEQ ID NO:2.

50. (Previously Presented) An isolated nucleic acid that encodes a protein comprising residues 25-222 of SEQ ID NO:2.

51. (Canceled)

52. (Previously Presented) The nucleic acid of claim 50, wherein the protein consists of residues 25-222 of SEQ ID NO:2 with an initiator methionine or a signal peptide.

53. (Previously Presented) The nucleic acid of claim 50, wherein the protein consists of the amino acid sequence of SEQ ID NO:2.